RELIC

RELIC

This versatile range is a natural choice for any co-working environment. It creates collaborative spaces for agile working and social exchange. Available in a wide variety of sizes and finishes with essential power and data options.

Our Relic range features concealed cable management, bringing power and data to exactly where it's needed. This allows spaces to have multiple uses throughout the working day.

The range of tables, benches and stools creates engaging design options, offering inspiration, variety and practicality to any workplace.

FRÖVI®

FEATURES

Cutline tops available for coloured or Fenix top choice

Also available with our genuine oak antique-character Sawn tops

Fully integrated and concealed cable management

Size customisation from short to extremely long lengths and double widths

Inset frame allows additional seating at either end

Available with our Raw, Vintage and RAL frame finishes

Power and data port options

Relic Table with power, Low Stools and Medium Bench

stylish
STATEMENT

Shown on this page: **Relic** Table with power, Wide Table and Poseur Table

fine
DETAILS

Relic Poseur Table and High Stools

Relic Table with power and Low Stools

add colour to
YOUR WORKPLACE

Shown on this page: **Relic** Round and Square Tables and Poseur Tables

Clockwise from top left: **Relic** Low and High Stools, Medium and Small Benches

Relic Low Stools

RELIC CLOUD FEATURES

Promotes creativity and wellbeing in the workplace

Available with our genuine oak antique-character Sawn tops and a wide range of frame finishes

Customisable with accessories such as lighting, power and plants

Ability to create a space where “materials, biophilic design and lighting coexist”

Forms a collaboration zone that stimulates thought process

Relic Cloud, Low Stools and Ego

bringing the
OUTSIDE IN

Shown on this page: **Relic** Cloud with power

DETAILS & ACCESSORIES

Power flap available in a variety of metal finishes to match frame

Fully integrated concealed cable management and height adjustable feet



Available with Discreet Power,
which can be retro fitted

Available with a selection of
power, data and multimedia
modules per power flap

Relic Table
available with
Beam Task Lighting



NATURAL OAK
sawn and weathered tops

From a tender sapling to a mature oak, our sawn oak finishes have been nurtured by Mother Nature. The oak is dried, 'sawn' and weathered, offering a stunning natural finish. Finally, the oak is carefully treated to be stain and impact resistant then manufactured into table tops. The result: a beautifully crafted table with lasting durability and distinction.

SPECIFICATION GUIDE

STEPS TO SPECIFY - RELIC

Follow our guide to choose your size, finish and accessories combinations from our extensive collection.

---

1 2 3 4 5 6

Select Height: Table or Poseur



1 **2** 3 4 5 6

Select Size: Various sizes to choose from
Example sizes with chair configurations below, see page 26 for full range of sizes.

	Table Heights
	*Standard & Poseur*
	*Standard & Poseur*
	*Standard*
	*Standard*
	*Standard*

	Table Heights
	*Standard & Poseur*
	*Standard & Poseur*
	*Standard*
	*Standard*

Diagrams show an 'average chair' placed around the tables as seating capacity indication only. Capacity can be increased via the use of benches.

---

1 **2** **3** 4 5 6

Choose Power: Powered or Non Powered

All Relic tables can be specified with or without integrated power.
Discreet Power can be specified in addition to the table **- see accessories opposite.**

Relic Power Bench Seating Tables are supplied as standard with a steel lift-out power flap in the same colour as the steel under-frame. The power flaps are available in RAL colours and Vintage finishes.

Relic Power Round and Square Tables are fitted with a solo power unit.

Standard power configuration for Relic tables with power

For power variations, the amount of power flap cut-outs per table varies depending on the length.

Table Length	Power Flap Cut-outs
160cm to 240cm	1
300cm to 630cm	2

Standard power option for Relic Round or Square tables with power

Solo power unit (1x UK socket & x1 Twin USB Charge)
Available in black or white

Standard power option for Relic tables with power

Available with a selection of power, data and multimedia modules per power flap.

1 2 3 **4** 5 6

Select Frame Finish: Coloured or Vintage

RAL Frame finishes

White 9016 | Camel 1013 | Sand 7032 | Pink 4010 | Orange 2004 | Bright Red 3020 | Red 3001 | Yellow 1021 | Mustard 1012 | Pastel Green 6027 | Fresh Green 6018 | Khaki 6003

Turquoise 5018 | Steel Blue 5023 | Blue 5002 | Lilac 4005 | Grey 7035 | Dark Grey 7037 | Anthracite 7024 | Black 9011 | Steel Effect 9006

Vintage frame finishes

Brass | Copper

Frame finish

Raw Steel — Clear coated raw steel

---

1 2 3 4 **5** 6

Choose Top Type and Finish: Cutline or Sawn

Cutline top finishes

Cutline

White | Camel | Pink | Orange | Bright Red | Red

Yellow | Lime | Pastel Green | Fresh Green | Turquoise | Blue

Violet | Grey | Dark Grey | Anthracite | Black | Steel Effect

Beech | Oak | Zebrano | Walnut | Wenge

Concrete Effect | Marble Effect

Cutline Fenix top finishes

Cutline Fenix

White | Black

Sawn top finishes

Sawn

Sawn Oak | Sawn Weathered Oak

---

1 2 3 4 5 **6**

Choose Accessories

Beam Task Lighting*

Discreet Power

*Only available on Relic Tables. **Note:** Limitations in the reprographics process mean absolute colour accuracy cannot be guaranteed. Where colour matching is critical, a sample of the material can be provided on request. Please enquire if you require help with combinations and bespoke colour choices.

Relic Table

height 750mm

SIZE (MM)	ORDER CODE	ORDER CODE
	White/Oak Cutline Top	Sawn Top
1400 x 800	RT/*/148CL*	-
1600 x 800	RT/*/168CL*	-
1800 x 800	RT/*/188CL*	-
1800 x 900	RT/*/189CL*	RT/*/189S*
2100 x 1200	RT/*/2112CL*	RT/*/2112S*
2400 x 1200	RT/*/2412CL*	-
3000 x 1200	RT/*/3012CL*	-
3600 x 900	RT/*/369CL*	RT/*/369S*
3600 x 1200	RT/*/3612CL*	RT/*/3612S*
4200 x 1200	RT/*/4212CL*	RT/*/4212S*
5200 x 1200	RT/*/5212CL*	-
5400 x 1200	-	RT/*/5412S*
6000 x 1200	RT/*/6012CL*	-
6300 x 1200	-	RT/*/6312S*

Relic Table with power

height 750mm

SIZE (MM)	ORDER CODE	ORDER CODE
	Cutline Top	Sawn Top
1600 x 800	RTP/*/168CL*	-
1800 x 800	RTP/*/188CL*	-
1800 x 900	RTP/*/189CL*	RTP/*/189S*
2100 x 1200	RTP/*/2112CL*	RTP/*/2112S*
2400 x 1200	RTP/*/2412CL*	-
3000 x 1200	RTP/*/3012CL*	-
3600 x 900	RTP/*/369CL*	RTP/*/369S*
3600 x 1200	RTP/*/3612CL*	RTP/*/3612S*
4200 x 1200	RTP/*/4212CL*	RTP/*/4212S*
5200 x 1200	RTP/*/5212CL*	-
5400 x 1200	-	RTP/*/5412S*
6000 x 1200	RTP/*/6012CL*	-
6300 x 1200	-	RTP/*/6312S*

Relic Poseur

height 1050mm

SIZE (MM)	ORDER CODE	ORDER CODE
	Cutline Top	Sawn Top
1400 x 800	RPT/*/148CL*	-
1600 x 800	RPT/*/168CL*	-
1800 x 800	RPT/*/188CL*	-
1800 x 900	RPT/*/189CL*	RPT/*/189S*
2100 x 1200	RPT/*/2112CL*	RPT/*/2112S*
2400 x 1200	RPT/*/2412CL*	-
3000 x 1200	RPT/*/3012CL*	-
3600 x 900	RPT/*/369CL*	RPT/*/369S*
3600 x 1200	RPT/*/3612CL*	RPT/*/3612S*
4200 x 1200	RPT/*/4212CL*	RPT/*/4212S*
5200 x 1200	RPT/*/5212CL*	-
5400 x 1200	-	RPT/*/5412S*
6000 x 1200	RPT/*/6012CL*	-
6300 x 1200	-	RPT/*/6312S*

Relic Poseur with power

height 1050mm

SIZE (MM)	ORDER CODE	ORDER CODE
	Cutline Top	Sawn Top
1600 x 800	RPTP/*/168CL*	-
1800 x 800	RPTP/*/188CL*	-
1800 x 900	RPTP/*/189CL*	RPTP/*/189S*
2100 x 1200	RPTP/*/2112CL*	RPTP/*/2112S*
2400 x 1200	RPTP/*/2412CL*	-
3000 x 1200	RPTP/*/3012CL*	-
3600 x 900	RPTP/*/369CL*	RPTP/*/369S*
3600 x 1200	RPTP/*/3612CL*	RPTP/*/3612S*
4200 x 1200	RPTP/*/4212CL*	RPTP/*/4212S*
5200 x 1200	RPTP/*/5212CL*	-
5400 x 1200	-	RPTP/*/5412S*
6000 x 1200	RPTP/*/6012CL*	-
6300 x 1200	-	RPTP/*/6312S*

Relic Wide Table

height 750mm

SIZE (MM)	ORDER CODE
	Sawn Top
3600 x 1600	RWT/*/3616S*

Relic Wide Table with power

height 750mm

SIZE (MM)	ORDER CODE
	Sawn Top
3600 x 1600	RWTP/*/3616S*

Relic Low Stool

height 460, width 410, depth 400 mm

FABRIC	ORDER CODE
A	RSL/*/FA
B	RSL/*/FB
C	RSL/*/FC
D	RSL/*/FD
E	RSL/*/FE
F	RSL/*/FF
G	RSL/*/FG
H	RSL/*/FH
I	RSL/*/FI

Relic High Stool

height 760, width 410, depth 400 mm

FABRIC	ORDER CODE
A	RSH/*/FA
B	RSH/*/FB
C	RSH/*/FC
D	RSH/*/FD
E	RSH/*/FE
F	RSH/*/FF
G	RSH/*/FG
H	RSH/*/FH
I	RSH/*/FI

Relic Small Bench

height 460, width 1000, depth 400 mm

FABRIC	ORDER CODE
A	RBS/*/FA
B	RBS/*/FB
C	RBS/*/FC
D	RBS/*/FD
E	RBS/*/FE
F	RBS/*/FF
G	RBS/*/FG
H	RBS/*/FH
I	RBS/*/FI

Relic Medium Bench

height 460, width 1600, depth 400 mm

FABRIC	ORDER CODE
A	RBM/*/FA
B	RBM/*/FB
C	RBM/*/FC
D	RBM/*/FD
E	RBM/*/FE
F	RBM/*/FF
G	RBM/*/FG
H	RBM/*/FH
I	RBM/*/FI

*Finish code required.

Relic 3 Leg Round Table

height 750mm

SIZE (MM)	ORDER CODE	ORDER CODE
	White/Oak Cutline Top	Sawn Top
900 dia	RCT/*/9DCL*	RCT/*/9DS*
1000 dia	RCT/*/10DCL*	RCT/*/10DS*

Relic 3 Leg Round Table with power

height 750mm

SIZE (MM)	ORDER CODE	ORDER CODE
	White/Oak Cutline Top	Sawn Top
900 dia	RCTP/*/9DCL*	RCTP/*/9DS*
1000 dia	RCTP/*/10DCL*	RCTP/*/10DS*

Relic 4 Leg Round Table

height 750mm

SIZE (MM)	ORDER CODE	ORDER CODE
	White/Oak Cutline Top	Sawn Top
1200 dia	RCT/*/12DCL*	RCT/*/12DS*
1400 dia	-	RCT/*/14DS*

Relic 4 Leg Round Table with power

height 750mm

SIZE (MM)	ORDER CODE	ORDER CODE
	White/Oak Cutline Top	Sawn Top
1200 dia	RCTP/*/12DCL*	RCTP/*/12DS*
1400 dia	-	RCTP/*/14DS*

Relic 4 Leg Square Table

height 750mm

SIZE (MM)	ORDER CODE	ORDER CODE
	White/Oak Cutline Top	Sawn Top
1000 x 1000	RCT/*/1010CL*	RCT/*/1010S*
1200 x 1200	RCT/*/1212CL*	RCT/*/1212S*

Relic 4 Leg Square Table with power

height 750mm

SIZE (MM)	ORDER CODE	ORDER CODE
	White/Oak Cutline Top	Sawn Top
1000 x 1000	RCTP/*/1010CL*	RCTP/*/1010S*
1200 x 1200	RCTP/*/1212CL*	RCTP/*/1212S*

Relic 3 Leg Round Poseur Table
height 1050mm

SIZE (MM)	ORDER CODE	ORDER CODE
	Cutline Top	Sawn Top
900 dia	RCPT/*/9DCL*	RCPT/*/9DS*
1000 dia	RCPT/*/10DCL*	RCPT/*/10DS*

Relic 3 Leg Round Poseur Table with power
height 1050mm

SIZE (MM)	ORDER CODE	ORDER CODE
	Cutline Top	Sawn Top
900 dia	RCPTP/*/9DCL*	RCPTP/*/9DS*
1000 dia	RCPTP/*/10DCL*	RCPTP/*/10DS*

Relic 4 Leg Round Poseur Table
height 1050mm

SIZE (MM)	ORDER CODE	ORDER CODE
	Cutline Top	Sawn Top
1200 dia	RCPT/*/12DCL*	RCPT/*/12DS*
1400 dia	-	RCPT/*/14DS*

Relic 4 Leg Round Poseur Table with power
height 1050mm

SIZE (MM)	ORDER CODE	ORDER CODE
	Cutline Top	Sawn Top
1200 dia	RCTP/*/12DCL*	RCTP/*/12DS*
1400 dia	-	RCTP/*/14DS*

Relic 4 Leg Square Poseur Table
height 1050mm

SIZE (MM)	ORDER CODE	ORDER CODE
	Cutline Top	Sawn Top
1000 x 1000	RCPT/*/1010CL*	RCPT/*/1010S*
1200 x 1200	RCPT/*/1212CL*	RCPT/*/1212S*

Relic 4 Leg Square Poseur Table with power
height 1050mm

SIZE (MM)	ORDER CODE	ORDER CODE
	Cutline Top	Sawn Top
1000 x 1000	RCPTP/*/1010CL*	RCPTP/*/1010S*
1200 x 1200	RCPTP/*/1212CL*	RCPTP/*/1212S*

*Finish code required.

STEPS TO SPECIFY - RELIC CLOUD

Follow our guide to choose your finish and accessories combinations from our extensive collection.

---

1 2 3 4

Choose Power: Powered or Non Powered

All Relic tables can be specified with or without integrated power.
Discreet Power can be specified in addition to the table **- see accessories below.**

Relic Cloud is supplied as standard with a steel lift-out power flap in the same colour as the steel under-frame. The power flaps are available in RAL finishes.

Standard power option for Relic Cloud with power

Available with a selection of power, data and multimedia modules per power flap.

---

1 **2** 3 4

Select Frame Finish: Coloured or Raw

RAL Frame finishes

White 9016	Camel 1013	Sand 7032	Pink 4010	Orange 2004	Bright Red 3020	Red 3001	Yellow 1021	Mustard 1012	Pastel Green 6027	Fresh Green 6018	Khaki 6003
Turquoise 5018	Steel Blue 5023	Blue 5002	Lilac 4005	Grey 7035	Dark Grey 7037	Anthracite 7024	Black 9011	Steel Effect 9006			

Frame finish

Raw Steel — Clear coated raw steel

---

1 2 **3** 4

Choose Top Finish: Sawn Oak or Sawn Weathered Oak

Sawn top finishes

Sawn

Sawn Oak

Sawn Weathered Oak

1 2 3 **4**

Choose Accessories

Discreet Power

Relic Cloud
height 2000mm

SIZE (MM)	ORDER CODE
	Sawn Top
3600 x 1600	RCDT/*/3616S*

Relic Cloud with power
height 2000mm

SIZE (MM)	ORDER CODE
	Sawn Top
3600 x 1600	RCDTP/*/3616S*

*Finish code required. **Note:** Limitations in the reprographics process mean absolute colour accuracy cannot be guaranteed. Where colour matching is critical, a sample of the material can be provided on request. Please enquire if you require help with combinations and bespoke colour choices.

FRÖVI®

Full product specifications
available to download online
frovi.co.uk

Talk to an advisor today
01608 652411

Book an appointment at
our London showroom
info@frovi.co.uk

© Sept 2018 Frövi. All rights reserved.

London Showroom
28 St Johns Lane,
Clerkenwell,
London EC1M 4BU

Factory
Cotswold Business Village
London Rd, Moreton-in-Marsh
Gloucestershire GL56 0PS

Head Office
Gooch Collett Way,
Southmead Park, Didcot
Oxfordshire OX11 7PR

North America
100 King Street West,
Suite 5600, Toronto
Ontario M5X 1C9